



imageCLASS MF445dw

Black and White | Compact | Multifunction

Print up to 40 ppm

Print up to 8-1/2" x 14"

900-sheet maximum paper capacity

Three-year limited warranty standard

Designed for small and medium-size businesses, the Canon imageCLASS MF445dw model balances speedy performance, minimal maintenance, and the ability to add an extra paper tray. A 5" color touchscreen delivers an intuitive user experience and can be customized by a device administrator to help simplify many daily tasks.





USABILITY

- 5" intuitive, color touchscreen with smartphone-like usability.
- A unique, customized device experience with Application Library.
- Create Wi-Fi® Direct hotspot from the printer to establish direct connection to compatible mobile device(s) without the need for an external router.



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Intuitive maintenance videos for common tasks like consumables replacement.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.



WORKFLOW EFFICIENCY

- Supports mobile solutions for printing and scanning.¹
- Scan and convert documents to searchable digital files through a single-pass duplex document feeder.
- Designed for small print jobs with first-print time as fast as 5.3 seconds.



COST EFFICIENCY

- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard two-sided printing plus the ability to print multiple pages onto one page helps to reduce paper consumption.



SECURITY

- Low risk of confidential information loss, as documents are only stored in shortterm memory.
- Security settings can be set behind an administrator log-in.
- Verify System at Startup is a process to help verify the validity of the device firmware and Application Library from unauthorized modifications.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps to use less energy.
- Encourage environmentally conscious work practices by providing multiple settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.²



EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Scan-to-Preset Destination, ID Card Copy, Consumables Information, Copy (Eco), Copy (Bleed Reduce), Passport Copy, Fax and Store, Name and Scan, Copy (Enhance Text), and Language.





MOBILE-FRIENDLY DEVICE ACCESS

From application-based to cloud-based⁵ to device native, the imageCLASS MF445dw model offers a variety of methods for printing from a mobile phone or tablet across iOS and Android devices. The Canon PRINT Business application, which supports both platforms, offers access to additional device settings as well as the ability to scan from the printer to a mobile phone or tablet.





FAST, SINGLE-PASS DUPLEX SCANNING

The imageCLASS MF445dw leverages a single-pass document feeder for two-sided scanning at up to 70 images per minute (ipm) in black and white or up to 26 ipm in color. Scanned files can be converted into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).





100% U.S.-BASED SERVICE AND SUPPORT

From cutting-edge technology to industry-leading response times, Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's award-winning, 100% U.S.-based, friendly, and knowledgeable Customer Service team provides expert assistance for every level of experience. The imageCLASS MF445dw device comes with a three-year limited warranty, giving you the support, peace of mind, and value your business deserves.



SPECIFICATIONS

Main Unit

Core Functions

Standard: Print, Copy, Scan, Send, Fax

Item Code

MF445dw: 3514C004

Processor

Canon Custom Processor

Control Panel

5" Color Touch Panel

Memory

1GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi® Direct Connection

Paper Capacity (Letter, 20 lb. Bond)

Standard: 350 Sheets Maximum: 900 Sheets

Paper Sources (Letter, 20 lb. Bond)

Standard: 250-sheet Paper Cassette, 100-sheet

Multipurpose Tray 550-sheet Paper Cassette Optional: (Cassette Unit-AH1)

Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 65 Sheets Supported Media Types

Thin, Plain, Recycled, Thick, Bond Cassettes: Multipurpose Thin, Plain, Recycled, Thick, Bond, Label, Envelope (10 Envelopes) Trav:

Supported Media Sizes

Letter, Legal, Statement, Executive Cassettes: Custom (Min. 4.1" x 5.8" to Max. 8.5" x 14") Letter, Legal, Statement, Executive Multipurpose Tray:

Envelope: COM10, Monarch, C5, DL Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

16 lb. Bond to 32 lb. Bond (60 to 120 g/m²) Cassettes: Multipurpose 16 lb. Bond to 43 lb. Bond (60 to 163 g/m²)

Warm-up Time From Power On: 14 Seconds or Less

From Sleep 4 Seconds or Less

Mode:

Dimensions (H x W x D)

17.9" x 18.3" x 15.5" Standard (453 mm x 464 mm x 392 mm) (Desktop):

Installation Space (H x W x D)

17.9" x 34.8" x 26.2" Standard (453 mm x 883 mm x 664 mm) (Desktop): Fully Configured: 17.9" x 34.8" x 31.3"

(453 mm x 883 mm x 795 mm)

Weight³

Approx. 35.8 lb. (16.2 kg) Boxed Weight: Approx. 45.9 lb. (20.8 kg)

Operating System

UFR II/PCL/PS: Windows® 7/Windows 8.1/Windows 10/Windows Server 2008/Windows Server 2008 R2/ Windows Server 2012/Windows Server 2012 R2/Windows

Server 2016/Mac OS X v10.8.5 (or later)

Print Specifications

Printing Method

Laser Beam Printing

Print Speed⁴

Up to 40 ppm (Letter); Up to 32 ppm (Legal)

First-Print-Out Time

Approx. 5.3 Seconds

Recommended Monthly Page Volume

750 - 4,000 Pages

Print Resolution (dpi)

600 x 600

Standard Page Description Languages

UFR II, PCL®6, PCL®5, Adobe PostScript 3®

Double-Sided Printing

Automatic (Standard)

Direct Print

Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services1

Apple® AirPrint,® Canon PRINT Business, Mopria™

Print Service Fonts

PCL: 45 Fonts PS: 136 Fonts

Print Features

Secured Print, Page Border, Header/Footer, Page Layout, Two-sided Printing, Collating, Booklet Printing, Grouping,

Mixed Paper Sizes/Orientations

Copy Specifications

Copy Speed

Up to 40 ppm (Letter); Up to 32 ppm (Legal)

First-Copy-Out Time (Letter)

Approx. 6.2 seconds Copy Resolution (dpi)

600 x 600

Copy Size

Platen: Up to Letter ADF: Up to Legal

Multiple Copies Up to 999 Copies

Magnification 25% - 400% (1% Increments)

Preset Reductions

25%, 50%, 64%, 78% **Preset Enlargements**

129%, 200%, 400%

Copy Features

Paper Setting, Favorite Settings, Two-sided, Original Type Selection, Cancel, N-on-1, Density Adjustment, Sharpness,

Erase Frame, Collate, Copy ID Card

Scan Specifications

Туре

Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity

50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Legal, Letter, Statement

Document Feeder Supported Media Weights

Single and Double-sided scanning: 13-28 lb.

Bond (50-105 g/m²)

Platen Acceptable Originals

Sheet, Book

Pull Scan

ScanGear MF for TWAIN, WIA, and ICA

Scan Resolution (dpi)

300 x 600, 600 x 600

Scan-to-Mobile Devices Canon PRINT Business

Scan Speed (Letter)

13/38 ipm (300 x 300 dpi) (Color/BW) Single-sided: 26/70 ipm (300 x 300 dpi) (Color/BW) Double-sided:

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Send Specifications

Destination

Email/Internet FAX (SMTP), SMB, FTP, Super G3 FAX

Address Book

LDAP (50)/Local (300)/Speed Dial (281)

Send Resolution (dpi)

600 x 600 (Pull Scan), 196 x 204 (iFax), 300 x 300 (Other)

Communication Protocol

File: FTP. SMB

Email/iFax: SMTP, POP3, iFax (Simple)

File Format

Standard: TIFF, JPEG, PDF (Compact, Searchable)

Fax Specifications

Modem Speed

Super G3: 33.6 kbps G3: 14.4 kbps Compression Method

MH, MR, MMR, JBIG

Resolution (dpi) 400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement to Legal

Fax Memory Up to 512 Pages

Speed Dials

Max. 281 Dials Group Dials/Destinations

Max. 299 Dials

Sequential Broadcast Max. 310 Addresses

Memory Backup

Yes

Fax Features

RX Mode, Resolution, Two-sided Original, Density, Sharpness, Favorite Settings, Duplex Fax

Security Specifications

Authentication

Standard: Department ID Authentication

Data Standard:

Standard:

Verify System at Startup Network

> IP/MAC Address Filtering, IPSEC, TLS Encrypted Communication, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP

Authentication before SMTP

Document Standard: Secure Print, High Compression PDF,

Searchable PDF

Wi-Fi Authentication Methods

Wi-Fi

Infrastructure WEP 64/128 bit, WPA-PSK (TKIP/AES),

20 to 80% RH (no condensation)

Mode: WPA2-PSK (AES)

Wi-Fi Access

Humidity:

Point: WPA2-PSK (AES)

Environmental Specifications

Operating Environment

Temperature: 50 to 86° F

Power Requirements

AC 120-127 V:6.5 A, 60 Hz Power Consumption

Approx. 1330 W Maximum: Standby: Approx. 10 W Sleep Mode Approx. 0.9 W 0.34 kWh Typical

Electricity Consumption (TEC) Rating:

Standards ENERGY STAR® Qualified, Currently Rated EPEAT Silver²

CONFIGURATION AND ACCESSORIES





Extended Service Plans Available For Purchase

If service is required, you may receive a replacement model* via advanced exchange. In this case, you'll be instructed to return the damaged unit to Canon in the replacement packaging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair.

Canon eCarePAK (Exchange/Carry-In)

Canon extended service plans extend standard three-year limited warranty⁵ support to cover additional one to two years.

One-Year: 5707B042 Two-Year: 5707B043

* Replacement model may be new or refurbished quality.

GENUINE® CONSUMABLES

Always look for the Canon anticounterfeiting hologram on your Canon GENUINE product packaging.

• Cartridge 057[▲] (Item No.: 3009C001) Yields 3,100 Pages

• Cartridge 057 H (Item No.: 3010C001) Yields 10,000 Pages



Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

▲ This Cartridge is included with purchase

- ¹ Canon PRINT Business is a free app available on the App Store* and Google Play™ Store. For more information, including compatibility, please visit usa.canon.com/mobile-app. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
- ² For current EPEAT rating (Gold/Silver/Bronze), please visit **epeat.net**.
- ³ Includes consumables.
- Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
- ⁵ Warranty program is subject to certain conditions and restrictions. See warranty card for details.















As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors.

