
CX2731 Color MFP

PH 111 19



All-in-one functionality. HD Color output. Superior speed and media flexibility. And eco-friendly, too.





The CX2731 Color MFP enhances small-to-medium workgroup productivity with robust print/copy/scan/fax functionality.

CX2731 Color MFP Highlights:

- Print and copy at speeds up to 27 ppm in color, 31 ppm in black & white¹
- HD Color printing technology for outstanding print and copy quality
- Multi-tasking functionality standard, enabling two tasks to be performed at once
- Duty cycle of up to 60,000 pages per month
- 3.5" backlit, tilting LCD display, 1-touch keys, alphanumeric keypad, and QWERTY keyboard
- PCL[®] and PostScript[®] 3[™] emulations
- Duplex (2-sided) printing/copying, standard
- Full-featured fax with dual access functionality and 4 MB fax memory²
- Multiple scan-to locations: PC, network, FTP, e-mail or USB memory stick
- Print from USB memory stick
- 50-sheet reversing automatic document feeder (RADF), standard saves time and energy
- Banner printing capability on sheets up to 52" in length³
- Color Access Policy Manager controls printing costs by defining usage rules
- Optional 16 GB SD Card memory storage
- Separate CMYK toner cartridges for lower cost of operation
- Compact design to fit the smallest environment
- ENERGY STAR® compliant

The CX2731 Color MFP from OKI Printing Solutions

combines high-quality color and four-in-one functionality with speed, reliability and ease of use—superior value from a desktop device that has a footprint small enough to fit easily into your environment. It's the perfect solution for the smallto medium-size workgroups in your company.

Enhance the productivity of your staff – The CX2731 Color MFP is fast: it prints or copies up to 27 color pages or 31 black & white pages per minute, with the first color page printing in just 8 seconds.¹ It delivers color duplex prints or copies at the rate of 14 ppm, black & white at 16 ppm. Its reversing automatic document feeder (RADF) quickly scans both sides of a document, and its multi-tasking capabilities let you set up or perform two tasks at the same time.

And, with a duty cycle of up to 60,000 pages per month, this durable device can be relied upon to handle large daily print and copy volumes.

Scan at the machine or from your desk – With the CX2731 Color MFP, you can turn hard-copy documents into electronic files by placing them in the RADF or directly onto the flatbed scanner, scan them in black & white or color, and send the scan to a locally attached PC, to the shared directory on the network (without the need for additional software), to an e-mail address or to an FTP site.

You can also remotely preview and scan your documents on your PC via the network connection and TWAIN driver. You can insert a USB memory stick into the port conveniently located on the front of the unit and save scans to or print files directly from the stick. With Direct Print, you can even print PDF files without opening an application.

The CX2731 MFP prints and copies in HD Color, an OKI[®] exclusive: multi-level printheads and microfine toner provide more detail, greater color depth and reduced grain, for breathtaking output even on ordinary office paper.

It can make your job easier – The CX2731 Color MFP is really user friendly. It's network-ready right out of the box and has an intuitive operator panel that's simple to use, with a 3.5" backlit LCD display that tilts up for easy reading, 1-touch keys for fast dialing, and a full QWERTY keyboard.

It comes with a 4 GB SD card for file storage, which can be upgraded to 16 GB as your needs grow.

It's also a full-featured fax – The CX2731 Color MFP has dual access functionality that lets you scan faxes into memory while the unit is busy sending or receiving faxes. It comes with a number of features found in more expensive units, such as T.37 Internet faxing, Tel/Fax auto switching, distinctive ring to differentiate between incoming fax messages and phone calls, a telephone answering device (TAD) interface, speed-dial ID display, and generous fax memory.

Expect more support – You can expect total support from your Authorized OKI Printing Solutions MFP provider.

Convert hard copies to digital files, manage your document workflow, and help the environment. The CX2731 Color MFP lets you do it all.

Full functionality at your fingertips - The userfriendly operator panel of the CX2731 Color MFP features a clear, organized array of navigation buttons, a backlit LCD display, alphanumeric keypad, 1-touch fax dialing keys, and a full QWERTY keyboard. The MFP also comes with a wide range of productivity-enhancing software:

PaperPort[®] software from Nuance[®] easily turns piles of paper and photos into PDF and JPEG filesusing the MFP's scanner—and saves them to your computer for future use.

OmniPage® from Nuance-optical character recognition (OCR) software-quickly turns hardcopy office documents and forms into electronic files for easy editing, searching and sharing.

Desktop Capture Solution-works through PaperPort's Active Directory Authentication to move scanned documents into your SharePoint® or DocuWare® workflow, quickly and easily.4

Document management made simple - The CX2731 Color MFP includes ActKey software that lets you move between scan-to tasks-including Scan-to-Folder, Scan-to-Application and Scan-to-PC Fax—with a single click.



Environmentally friendly features - The CX2731 Color MFP also helps you control your effect on the planet's health by providing:

Automatic ECO Mode When you're only printing a few pages, the CX2731 Color MFP's response is to enter this energy-saving, performance-enhancing setting. Same terrific output, lower power consumption. Everybody wins.

Deep Sleep Mode The CX2731 Color MFP takes power-saving even more seriously when left on for an extended period: it slips into a "deep sleep" that expends just over a single watt to maintain.

Mono Resource-Print Mode Even when the color toner runs out, you can still print needed documents in crisp, clear black & white. Simply cancel the original job and select this energy-efficient mode in the printer driver.

One-piece image drum This long-lasting, userreplaceable consumable remains friendly to your budget while lowering the number of items to dispose of and store.

ENERGY STAR[®] compliance With its lower power consumption-especially in Deep Sleep Modeand standard duplexing, the CX2731 Color MFP meets the government's standards for energy efficiency.

The CX2731 Color MFP at a glance



Easy-to-read and -use operator panel: ergonomically designed to meet the needs of your workflow environmentkeeping tasks simple and end users more productive. Backlit LCD display tilts up to enhance user productivity.



Full QWERTY keyboard (behind lift-open 1-Touch key panel): enables easy entry of email addresses and messages

Dual access: scan faxes into memory while the unit is busy sending or receiving faxes	11 pris	
Flatbed scanner: handles up to 8.5" x 11" documents on the glass and up to 8.5" x 14" via the Reversing Auto		50-sheet RADF: scans both sides of a sheet; increases user productivity
Document Feeder (RADF) Backlit LCD display: 3.5-inch screen tilts up as		Alphanumeric keypad: easily enter fax numbers, codes and quantities
much as 90° to further simplify navigation		1-Touch dialing: pre-program up to
Multi-tasking: performs two tasks at the same time		16 fax locations (panel lifts to reveal QWERTY keyboard)
High Definition Color: printing technology that ensures breathtaking output, even on plain paper		Scan to/Print from USB memory stick: convenient front port makes these operations quick and easy
100-sheet multi-purpose tray: also handles 3" x 5" cards, envelopes and banner sheets up to 8.5" x 52"		Single Pass Color [™] technology: straight-through paper path allows for superior flexibility in paper handling
250-sheet paper tray: fewer user interventions means greater productivity		Compact, space-saving design: the small footprint of the CX2731 MFP allows it to fit into most work spaces
Optional 530-sheet 2nd paper tray: increases max paper capacity to 880 sheets	-	
ed performance results based on laboratory testing olex sheet (1 side). Individual results may vary. on ITU-T Test Chart #1. files may require additional memory.		

⁴ Requires optional connectors.

CX2731 Color MFP

Specifications

Printer

- Print Speed: Up to 27 ppm color, 31 ppm black & white¹ • Time to First Page: As fast as 8 seconds in color,
- 7.5 seconds in black & white³ HD Color Printing Technology: Combines multilevel LED
- printheads and microfine toner for sharp detail and rich color depth
- Print Resolution: Up to 1200 x 600 dpi
- Processor Speed: 533 MHz
- Duty Cycle: Up to 60,000 prints/copies per month
- Duplex (2-Sided) Printing: Standard
- Print from USB Memory Stick: Via front USB port • Connectivity: USB v2.0 high-speed; 10/100 Base-TX Ethernet (network)
- Emulations: PCL[®] 5c, PCL 6; PostScript[®] 3[™] emulation; SIDM
- Operating Systems: 32-/64-bit Windows® 7, Vista®, XP,
- Server 2008 and Server 2003; 64-bit Server 2008 R2; Win 2000; Mac Support - OS 10.3.9 to 10.6 • Fonts: Scalable – 86 PCL, 80 PostScript; Bitmap – OCR-A,
- OCR-B, Line Printer, USPS; Barcode 12 types + PDF417 Copier
- Copy Speed: Up to 27 cpm color, 31 cpm black & white¹
- First Copy Out: As fast as 14 seconds in color, 12 seconds in black & white¹
- Duplex (2-Sided) Copying: Standard
- Copy Resolution: Up to 600 x 600 dpi
- Copy Scaling: 25% to 400% in 1% increments; 11 pre-set scaling sizes
- Copy Quantity Selection: 1-99
- ID Card Copy: Print both sides of ID on one side of sheet

Scanner

- Scan Type: Color and black & white flatbed
- Scan Resolution: Up to 1200 x 1200 dpi
- Scan Speed: Approx. 3 sec./page color, approx. 2 sec./page black & white at 300 dpi (simplex)
- Scan-to-PC: Create electronic file from hard copy original in PDF, TIFF or JPEG file formats (TWAIN scanning driver included; Windows compatible)
- Address Book Management: LDAP (Lightweight Directory) Access Protocol)
- Scan-to Functionality: Scan to e-mail with LDAP support; to USB memory stick; to FTP sites; to network; and to PC
- Formats Supported: PDF, TIFF, JPEG, BMP, PCX, GIF, TGA, PNG, WMF, EMF
- TWAIN Driver: Windows 2000 and higher; enables remote preview and scan functionality via network
- Networking Utilities: MFP Network Tools access features and settings of the MFP; set up Scan-to-FTP and Scan-to-Email; apply scanning restrictions; configure and manage multiple Scan-to-FTP profiles

Fax

- Fax Modem: 33.6 Kbps Super G3
- Transmission Speed: 3 seconds/page²
- Fax Resolution: Up to 200 x 400 dpi
- 1-Touch Dials: 16 locations
- Speed Dials: 100 locations
- Broadcast Transmissions: Up to 100 locations

- Fax Memory: 200 pages² (4 MB)
- Fax Functions: Dual access (perform additional functions while sending/receiving), T.37 Internet fax, Tel/Fax auto switching, Telephone answering device (TAD) interface, Distinctive ring, Broadcasting, Manual transmission, Delayed transmission, Auto redial, Auto receive, Activity report, Protocol report (for troubleshooting)

Ordering Information

530-Sheet 2nd Paper Tray

High-Capacity Toner Cartridges:

CX2731 Color MFP, 120V (Multilingual)

Part Numbers

62437301

44472105

70061801

70061901

70061701

44469739

44469738

44469737

44469813

44494207

52206101

52205901

52206301

52206302

52206002

5,000 pg.3

5,000 pg.3

5,000 pg.³

5,000 pg.3

20,000 pg.4

Sheets Per Box

500

100

100

500

100

Description

Options

256 MB DIMM

512 MB DIMM

16 GB SD Card

Cyan Toner Cartridge

Magenta Toner Cartridge

Yellow Toner Cartridge

Black Toner Cartridge

8.5" x 11" (32 lb.)

Single Image Drum (CMYK)

Bright White Proofing Sheets:

SynFlex[™] Paper (8.5" x 11" -

Premium Envelopes (size #10):

Banner Paper (8.5" x 35.4")

Waterproof and Tear-resistant)

Specifications are subject to change without notice.

©2010 OKI Data Americas, Inc. OKI Reg. T.M., M.D., OKI Electric

Industry Co., Ltd. Single Pass Color T.M. and design Reg. T.M.,

High Definition Color logo T.M., OKI Data Corp. SynFlex T.M., Oki Data Americas, Inc. PCL Reg. T.M., Hewlett Packard Co. PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc.

Windows, Vista Reg. T.M., Microsoft Corp. Mac Reg. T.M., Apple, Inc. Nuance, PaperPort, OmniPage Reg. T.M., Nuance Communications, Inc. USB-IF T.M., Universal Serial Bus

Implementers Forum, Inc. ENERGY STAR Reg. T.M., U.S. EPA.

Image Drum:

Print Media

Supplies

Multi-Tasking

Operation: Set up or perform two tasks at the same time

Operator Panel

• Features: 5-line, 3.5" tilting (up to 90°) backlit LCD display; Alphanumeric keypad; Ergonomically designed function keys; 1-touch fax dials (16); full QWERTY keyboard

Document Management

• Utility Suite: Nuance® PaperPort® SE v. 11, OmniPage® SE v. 16, OKI LPR, Color Correct, Swatch Utility, ActKey Utility, Network Card Setup Tool, MFP Configuration Tool, TWAIN Driver, Fax Driver, Printer Driver, Job Accounting, PrintSuperVision, Color Access Policy Manager, Desktop Document Capture

System Memory

- Standard/Max Imaging RAM: 256 MB/768 MB
- SD Card Storage: 4 GB standard; 16 GB optional

Paper Handling

- Scanner RADF: Up to 50 letter/legal sheets
- Paper Sizes (Min./Max.): Main Tray from 4.1" x 5.8" to 8.5" x 14"; optional 2nd Tray from 5.8" x 8.3" to 8.5" x 14"; Multi-Purpose Tray (MPT) from 3" x 5" cards to 8.5" x 52" banners
- Standard Input: 350 sheets (250 sheets via Main Tray + 100 sheets via MPT)
- Maximum Input: 880 sheets (with optional 530-sheet 2nd Paper Tray)
- Output Capacity: 150 sheets, face down
- Paper Types: Letter, Legal 13/13.5/14, Banner, Executive, A4, A5, A6, B5; Envelopes - C5, DL, Monarch, COM 9, COM 10
- Paper Weight: Main Tray/Opt. 2nd Tray 17 lb. bond 65 lb. cover (64-176 gsm); RADF 16 lb. - 28 lb. bond (60-105 gsm); MPT 17 lb. bond - 80 lb. cover (64-220 gsm)

Environmental

- Size (WxDxH): 16.8" x 20" x 17.5"
- Weight: 63 lb. (29 kg), including consumables
- Power Consumption: Operating Normal 570W; Max 1170W; Idle 100W; Power Save 20W; Deep Sleep <1.5W
- Acoustic Noise: Printing 54.0 dB; Copying 55.5 dB; Standby 37.0 dB; Power Save - Inaudible
- ENERGY STAR[®] Compliant: Yes

¹ Published performance results based on laboratory testing of simplex sheet (1 side). Individual results may vary.

- ² Based on ITU-T Test Chart #1.
- ³ Based on ISO 19798. Units ship with full set of 2,000-page toner cartridges (CMYK).







OKI DATA AMERICAS, INC.

USA 2000 BISHOPS GATE BLVD. MOUNT LAUREL, NJ 08054-4620 TEL: 800.0KI.DATA (800.654.3282) Fax: 856.222.5320

WWW.OKIPRINTINGSOLUTIONS.COM

CANADA 4140B SLADEVIEW CRESCENT **UNITS 7 & 8** MISSISSAUGA, ONTARIO L5L 6A1 Tel: 905.608.5000 Fax: 905.608.5040

LATIN AMERICA 2000 BISHOPS GATE BLVD. MOUNT LAUREL, NJ 08054-4620 Tel: 856.231.0002 Fax: 856.222.5071

OKI DATA DE MÉXICO, S.A. DE C.V. Mariano Escobedo, 748 8º Piso Col. Nueva Anzures C.P. 11590 México, D.F. Tel: 55.5263.8780 Fax: 55.5250.3501



Av. Alfredo Egídio de Souza Aranha, 100 BLOCO C - 4º ANDAR 04726-170 - São Paulo - SP - Brasil TEL: 11.3444.3500 Fax: 11.3444.3502



⁴ Estimated life, based on 3 pages per job.

- (42.7 cm x 50.9 cm x 44.4 cm)